

MSIII-W-405/473/532/1~300mW


Multi-wavelengths Laser System
AT 405&473&532nm

It can provide various kinds of colors, such as red, orange, yellow, green, indigo, blue, purple. It is widely used for laser scientific research, medical treatment, OEM field and multimedia entertainment.



SPECIFICATIONS

Wavelength (nm)	Violet at 405nm, Blue at 473nm, Green at 532nm
Operating mode	CW
Total output power (mW)	>1,50,100, ...,300
Power stability (rms, over 4 hours)	<5%, <3%, <2%
Transverse mode	Near TEM ₀₀ / TEM ₀₀ / TEM ₀₀
Beam diameter at the aperture (mm)	~2.5
Beam divergence, full angle (mrad)	<1.5
Warm-up time (minutes)	<10
Operating temperature (°C)	10~35
Power supply (100-240VAC)	RGB-31
Modulation optional	TTL on/off, 1Hz-1kHz, 1kHz-10kHz, 10kHz-30kHz; and Analog modulation optional
Expected lifetime (hours)	10000
Warranty	1 year



MSIII-W-405/473/532	RGB-31
<p>353(L) × 211(W) × 136(H) mm³, 13.0kg</p>	<p>305.5 (L) × 215(W) × 120 (H) mm³, 5.0kg</p>